W. JEFFREY SCOTT, PSC

W. Jeffrey Scott John P. Thompson Attorneys at Law 311 W. Main Street P.O. Box 608 Grayson, Kentucky 41143

Phone - (606) 474-5194 FAX - (606) 474-5196 e-mail - wjscott@windstream.net

August 31, 2010

RECEIVED

Mr. Jeff Derouen, Executive Director Kentucky Public Service Commission P.O. Box 615 Frankfort, KY 40602-0615

SEP - 1 2010

PUBLIC SERVICE COMMISSION

Re: Public Service Commission - Case No. 2010-249

Dear Mr. Derouen:

Enclosed please find my Response for Grayson Rural Electric Cooperative Corporation regarding the above referenced matter.

Yours truly,

W. Jeffrey Scott

WJS/smm Enclosure



SEP - 1 2010

COMMONWEALTH OF KENTUCKY BEFORE THE KENTUCKY PUBLIC SERVICE COMMISSION

PUBLIC SERVICE COMMISSION

IN THE MATTER OF: 2010-00249

RESPONSE OF GRAYSON RURAL
ELECTRIC COOPERATIVE CORPORATION

Comes now Grayson Rural Electric Cooperative Corporation (GRECC) and for its response to the previous Order of the Commission states as follows:

- GRECC has adopted policy directing that the practices of the National
 Electric Safety Code and the American Public Power Association Safety
 Manual are to be followed by all employees. GRECC in no way tolerates or
 defends violations of established safety rules and procedures and strives
 diligently to make sure that all employees have a clear understanding of those
 rules and procedures.
- 2. GRECC requires preliminary consideration of each job, taking into account the safety of each individual involved, the safety of the general public, and the area of the system effected and the property of others.
- 3. After a preliminary assessment or what is sometimes called a tailgate session, the employees must establish a visual opening, test the line to make sure it is de-energized with an approved hot line tester, following which the line on both sides of the work area is to be grounded. The philosophy of GRECC is "a line is not dead until it is grounded".
- 4. GRECC requires employees to wear rubber gloves "from the ground up" and all other required personal protective equipment.

5. Mr. Hutchinson was the senior employee on the job and was well trained in the requirements and duties of a crew leader.

6. GRECC is convinced that the safety of its employees, members and the individuals in the community which we serve is our most important task. Our Board receives monthly updates on our safety program and requires strict

adherence to all established safety practices.

7. WHEREFORE, GRECC submits the within response pursuant to the prior order of the Commission and stands ready for its scheduled appearance before the Commission on September 23, 2010, at the hour of 10:00 a.m. GRECC requests however, an informal conference concerning the issues in the within matter.

RESPECTFULLY SUBMITTED

W. JEFFREY SCOTT, PSG

Y: U.L. baptul

P.O. BOX 608

GRAYSON, KY 41143

(606) 474-5194

This is to certify that the foregoing has been served upon the parties by mailing a true and correct copy of same to:

Mr. Jeff Derouen, Executive Director Kentucky Public Service Commission P.O. Box 615 Frankfort, KY 40602-0615

This the 3 5 day of August 2010